



Correction: Decrease of the peak heights of EEG bicoherence indicated insufficiency of analgesia during surgery under general anesthesia

Rieko UNO¹ · Satoshi Hagihira² · Satoshi Aihara² · Takahiko Kamibayashi²

Published online: 20 October 2024
© The Author(s) under exclusive licence to Japanese Society of Anesthesiologists 2024

Correction: Journal of Anesthesia
<https://doi.org/10.1007/s00540-024-03406-5>

In this article, the incorrect unit was corrected as below,

1. In abstract, the line “After skin incision, when additional 1 g/kg of fentanyl was administered to examine its effect on the peak that showed a decrease.” should be “After skin incision, when additional 1 μg/kg of fentanyl was administered to examine its effect on the peak that showed a decrease.”
2. In Introduction, the sentence “Another study showed thatadministering 3 g/kg of fentanyl [5].” should be “Another study showed thatadministering 3 μ/kg of fentanyl [5].”
3. In Sub heading “Anesthetic protocols “, the following sentences were corrected.

“Anesthesia was induced with propofol at 1–2 mg/kg and fentanyl at 3 g/kg.” should be “Anesthesia was induced with propofol at 1–2 mg/kg and fentanyl at 3 μg/kg.”

“Fentanyl was administered at 2 g/kg before the start of surgery. During the intraoperative period, fentanyl at 1 g/kg (minimum dose 50 g) was added ... 20% (BL20; BL20-high, BL20-low).” should be

“Fentanyl was administered at 2 μg/kg before the start of surgery. During the intraoperative period, fentanyl at 1 μg/kg (minimum dose 50 μg) was added ... 20% (BL20; BL20-high, BL20-low).”

“When the criteria were still fulfilled 10 min after fentanyl administration, we once added fentanyl at 1 g/kg” should be “When the criteria were still fulfilled 10 min after fentanyl administration, we once added fentanyl at 1 μg/kg.”

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00540-024-03406-5>.

✉ Rieko UNO
unorieko@mac.com

¹ Department of Anesthesiology, Kansai Medical University Medical Center, 10-15, Fumizono-Cho, Moriguchi, Osaka 570-0074, Japan

² Department of Anesthesia, Kansai Medical University Hospital, 2-5-1, Shin-Machi, Hirakata, Osaka 573-1191, Japan